

Gate@zeal



INDIA'S **BEST INSTITUTE** FOR **GATE CS/IT**



Best Education
at the Most Affordable Price

WITH

Jaishree Ma'am

21+yrs
of Experience

JOIN OUR NEW

Offline and **Online**
Batches



Q.1 There are five bags each containing identical sets of ten distinct chocolates. One chocolate is picked from each bag.

The probability that at least two chocolates are identical is _____

- Options**
1. 0.3024
 2. 0.8125
 3. 0.4235
 4. 0.6976

Answer: 4




Q.2 Some people suggest anti-obesity measures (AOM) such as displaying calorie information in restaurant menus. Such measures sidestep addressing the core problems that cause obesity: poverty and income inequality.

Which one of the following statements summarizes the passage?

- Options**
1. The proposed AOM addresses the core problems that cause obesity.
 2. If obesity reduces, poverty will naturally reduce, since obesity causes poverty.
 3. AOM are addressing the core problems and are likely to succeed.
 4. AOM are addressing the problem superficially.

Answer: 4



Q.3

Items	Cost (₹)	Profit %	Marked Price (₹)
P	5,400	---	5,860
Q	---	25	10,000

Details of prices of two items P and Q are presented in the above table. The ratio of cost of item P to cost of item Q is 3:4. Discount is calculated as the difference between the marked price and the selling price. The profit percentage is calculated as the ratio of the difference between selling price and cost, to the cost ($\text{Profit \%} = \frac{\text{Selling price} - \text{Cost}}{\text{Cost}} \times 100$).

The discount on item Q, as a percentage of its marked price, is _____

Options

1. 10
2. 5
3. 12.5
4. 25

Answer: 1

Q.4 A polygon is convex if, for every pair of points, P and Q belonging to the polygon, the line segment PQ lies completely inside or on the polygon.

Which one of the following is NOT a convex polygon?

Options

1.



2.



3.



4.



Gate



Be in the Next Toppers list

GATE Toppers 2020



Hariom Choudhary

AIR-04



Karan Gupta

AIR-09



Nansy Agrawal

AIR-10



Sachin Patidar

AIR-13



Pranjal Saini

AIR-22



Darshika Tiwari

AIR-37



Anshul Kumrawat

AIR-86



Harsh Peshwani

AIR-86

Answer: 3


Q.5 We have 2 rectangular sheets of paper, M and N, of dimensions 6 cm x 1 cm each. Sheet M is rolled to form an open cylinder by bringing the short edges of the sheet together. Sheet N is cut into equal square patches and assembled to form the largest possible closed cube. Assuming the ends of the cylinder are closed, the ratio of the volume of the cylinder to that of the cube is _____

Options

1. $\frac{9}{\pi}$
2. $\frac{\pi}{2}$
3. $\frac{3}{\pi}$
4. 3π

Answer: 1


Q.6



A circular sheet of paper is folded along the lines in the directions shown. The paper, after being punched in the final folded state as shown and unfolded in the reverse order of folding, will look like _____.

Options

- 1.
- 2.



Answer: 3

Q.7 Given below are two statements 1 and 2, and two conclusions I and II.

Statement 1: All bacteria are microorganisms.

Statement 2: All pathogens are microorganisms.

Conclusion I: Some pathogens are bacteria.

Conclusion II: All pathogens are not bacteria.

Based on the above statements and conclusions, which one of the following options is logically CORRECT?

- Options**
1. Either conclusion I or II is correct.
 2. Only conclusion II is correct
 3. Neither conclusion I nor II is correct.
 4. Only conclusion I is correct

Answer: 3

GATE CS 2022

ONLINE COURSE

@ 21,999 /-
(Incl GST)

- ▶ **Live + Recorded Classes** of GATE - 2022
- ▶ **Soft Copy** of Material + Solutions - 2022
- ▶ **75+** Practice Test of Test Series - 2022
- ▶ **13000 Approx Practice Questions** including test series and material
- ▶ **400+** Hours of Lecture Durations



Free Previous Year
Material (Gate - 2021)
of Price Rs. 3000/-



10% Discount on
Online Courses

Offer Valid Till: 28-FEB-2021

Q.8 _____ is to *surgery* as *writer* is to _____

Which one of the following options maintains a similar logical relation in the above sentence?

- Options
1. Medicine, grammar
 2. Plan, outline
 3. Doctor, book
 4. Hospital, library

Answer: 3

Q.9 The ratio of boys to girls in a class is 7 to 3.

Among the options below, an acceptable value for the total number of students in the class is:

- Options
1. 73
 2. 50
 3. 37
 4. 21

Answer: 2

Q.10 Consider the following sentences:

- (i) Everybody in the class is prepared for the exam.
- (ii) Babu invited Danish to his home because he enjoys playing chess.

Which of the following is the CORRECT observation about the above two sentences?

- Options
1. (i) is grammatically incorrect and (ii) is unambiguous
 2. (i) is grammatically correct and (ii) is ambiguous
 3. (i) is grammatically correct and (ii) is unambiguous
 4. (i) is grammatically incorrect and (ii) is ambiguous

Answer: 4

CS Computer Science & Information Technology

- Q.1** A TCP server application is programmed to listen on port number P on host S . A TCP client is connected to the TCP server over the network. Consider that while the TCP connection was active, the server machine S crashed and rebooted. Assume that the client does not use the TCP keepalive timer. Which of the following behaviors is/are possible?

Options

1. The TCP server application on S can listen on P after reboot.
2. If the client sends a packet after the server reboot, it will receive a FIN segment.
3. If the client sends a packet after the server reboot, it will receive a RST segment.
4. If the client was waiting to receive a packet, it may wait indefinitely.

Answer: 1 and 3

- Q.2** There are 6 jobs with distinct difficulty levels, and 3 computers with distinct processing speeds. Each job is assigned to a computer such that:
- The fastest computer gets the toughest job and the slowest computer gets the easiest job.
 - Every computer gets at least one job.
- The number of ways in which this can be done is _____

Answer: 65

-
- Q.3** An *articulation point* in a connected graph is a vertex such that removing the vertex and its incident edges disconnects the graph into two or more connected components. Let T be a DFS tree obtained by doing DFS in a connected undirected graph G . Which of the following options is/are correct?

Options

1. A leaf of T can be an articulation point in G .
2. Root of T is an articulation point in G if and only if it has 2 or more children.
3. Root of T can never be an articulation point in G .
4. If u is an articulation point in G such that x is an ancestor of u in T and y is a descendent of u in T , then all paths from x to y in G must pass through u .


Answer: 2



GATE CS 2022

(LIVE-2022 + RECORDED-2021) ONLINE COURSE

@29,999/-
(Incl GST)

- ▶ **Live + Recorded classes** of Gate - 2022
 - ▶ **Recorded classes** of Gate - 2021
 - ▶ **Soft Copy** of Material + Solutions - 2021 & 2022
 - ▶ **150+** Practice Test of Test Series - 2021 & 2022
 - ▶ **50% discount** on the hard copy of study material
- 

Q.4 Consider the following grammar (that admits a series of declarations, followed by expressions) and the associated syntax directed translation (SDT) actions, given as pseudo-code:

```
P → D* E*
D → int ID {record that ID.lexeme is of type int}
D → bool ID {record that ID.lexeme is of type bool}
E → E1 + E2 {check that E1.type = E2.type = int; set E.type := int}
E → !E1 {check that E1.type = bool; set E.type := bool}
E → ID {set E.type := int}
```

With respect to the above grammar, which one of the following choices is correct?

Options

1. The actions can be used to type-check syntactically correct integer variable declarations and integer expressions.
2. The actions will lead to an infinite loop.
3. The actions can be used to correctly type-check any syntactically correct program.
4. The actions can be used to type-check syntactically correct boolean variable declarations and boolean expressions.

Answer: 1

Q.5 Consider the following two statements.

S_1 : Destination MAC address of an ARP reply is a broadcast address.
 S_2 : Destination MAC address of an ARP request is a broadcast address.

Which one of the following choices is correct?


Options

1. S_1 is false and S_2 is true.
2. Both S_1 and S_2 are true.
3. Both S_1 and S_2 are false.
4. S_1 is true and S_2 is false.

Answer: 1

Q.6


In a pushdown automaton $P = (Q, \Sigma, \Gamma, \delta, q_0, F)$, a transition of the form,



where $p, q \in Q$, $a \in \Sigma \cup \{\epsilon\}$, and $X, Y \in \Gamma \cup \{\epsilon\}$, represents

$$(q, Y) \in \delta(p, a, X).$$

Consider the following pushdown automaton over the input alphabet $\Sigma = \{a, b\}$ and stack alphabet $\Gamma = \{\#, A\}$.



The number of strings of length 100 accepted by the above pushdown automaton is _____.

Answer: 50

Q.7

Consider the following recurrence relation.

$$T(n) = \begin{cases} T(n/2) + T(2n/5) + 7n & \text{if } n > 0 \\ 1 & \text{if } n = 0 \end{cases}$$

Which one of the following options is correct?

Options

1. $T(n) = \Theta(n \log n)$
2. $T(n) = \Theta(n)$
3. $T(n) = \Theta(n^{5/2})$
4. $T(n) = \Theta((\log n)^{5/2})$

Answer: 2

Q.8

Let G be a group of order 6, and H be a subgroup of G such that $1 < |H| < 6$. Which one of the following options is correct?

Options

1. Both G and H are always cyclic.
2. Both G and H may not be cyclic.
3. G is always cyclic, but H may not be cyclic.
4. G may not be cyclic, but H is always cyclic.

Answer: 4

GATE CS 2023

ONLINE COURSE

@ 34,999 /-
(Incl GST)

- ▶ **Live + Recorded Classes** of GATE -2022 and 2023
- ▶ **Soft Copy** of Material + Solutions - (GATE – 2022 and 2023)
- ▶ **150+** Practice Test of Test Series - (GATE – 2022 and 2023)
- ▶ **19000 Approx** Practice Questions including test series
- ▶ **800+** Hours of Lecture Durations

Q.9 A binary search tree T contains n distinct elements. What is the time complexity of picking an element in T that is smaller than the maximum element in T ?

Options

1. $\Theta(n)$
2. $\Theta(n \log n)$
3. $\Theta(\log n)$
4. $\Theta(1)$

Answer: 4

- Q.10** Consider the following instruction sequence where registers R1, R2 and R3 are general purpose and MEMORY[X] denotes the content at the memory location X.

Instruction	Semantics	Instruction Size (bytes)
MOV R1, (5000)	$R1 \leftarrow \text{MEMORY}[5000]$	4
MOV R2, (R3)	$R2 \leftarrow \text{MEMORY}[R3]$	4
ADD R2, R1	$R2 \leftarrow R1 + R2$	2
MOV (R3), R2	$\text{MEMORY}[R3] \leftarrow R2$	4
INC R3	$R3 \leftarrow R3 + 1$	2
DEC R1	$R1 \leftarrow R1 - 1$	2
BNZ 1004	Branch if not zero to the given absolute address	2
HALT	Stop	1

Assume that the content of the memory location 5000 is 10, and the content of the register R3 is 3000. The content of each of the memory locations from 3000 to 3010 is 50. The instruction sequence starts from the memory location 1000. All the numbers are in decimal format. Assume that the memory is byte addressable.

After the execution of the program, the content of memory location 3010 is _____.

Answer: 50

- Q.11** Consider the following statements.

- S_1 : The sequence of procedure calls corresponds to a preorder traversal of the activation tree.
 S_2 : The sequence of procedure returns corresponds to a postorder traversal of the activation tree.

Which one of the following options is correct?

- Options**
1. S_1 is false and S_2 is true
 2. S_1 is true and S_2 is false
 3. S_1 is true and S_2 is true
 4. S_1 is false and S_2 is false

Answer: 3





Q.12

Consider the following language.

$$L = \{w \in \{0,1\}^* \mid w \text{ ends with the substring } 011\}$$

Which one of the following deterministic finite automata accepts L ?

Options




Answer: 2



GATE CS 2024

ONLINE COURSE

@ 44,999 /-
(Incl GST)

- ▶ **Live + Recorded Classes** of GATE - 2022, 2023 and 2024
 - ▶ **Soft Copy** of Material + Solutions - (GATE - 2022, 2023 and 2024)
 - ▶ **225+** Practice Test of Test Series - (GATE - 2022, 2023 and 2024)
 - ▶ **29000 Approx** Practice Questions including test series
 - ▶ **1200+ Hours** of Lecture Durations
- 

Q.13 Consider the following pseudocode, where **S** is a semaphore initialized to 5 in line#2 and **counter** is a shared variable initialized to 0 in line#1. Assume that the increment operation in line#7 is *not* atomic.

```
1. int counter = 0;
2. Semaphore S = init(5);
3. void parop(void)
4. {
5.     wait(S);
6.     wait(S);
7.     counter++;
8.     signal(S);
9.     signal(S);
10.}
```

If five threads execute the function **parop** concurrently, which of the following program behavior(s) is/are possible?

Options 1.

The value of **counter** is 1 after all the threads successfully complete the execution of **parop**.

2.

The value of **counter** is 0 after all the threads successfully complete the execution of **parop**.

3. There is a deadlock involving all the threads.

4.


The value of **counter** is 5 after all the threads successfully complete the execution of **parop**.

Answer: 1, 3 and 4

Q.14

Consider a *dynamic* hashing approach for 4-bit integer keys:

1. There is a main hash table of size 4.
 2. The 2 least significant bits of a key is used to index into the main hash table.
 3. Initially, the main hash table entries are empty.
 4. Thereafter, when more keys are hashed into it, to resolve collisions, the set of all keys corresponding to a main hash table entry is organized as a binary tree that grows on demand.
 5. First, the 3rd least significant bit is used to divide the keys into left and right subtrees.
 6. To resolve more collisions, each node of the binary tree is further sub-divided into left and right subtrees based on the 4th least significant bit.
 7. A split is done only if it is needed, i.e., only when there is a collision.
- Consider the following state of the hash table.



Which of the following sequences of key insertions can cause the above state of the hash table (assume the keys are in decimal notation)?

Options

1. 5, 9, 4, 13, 10, 7
2. 9, 5, 13, 6, 10, 14
3. 9, 5, 10, 6, 7, 1
4. 10, 9, 6, 7, 5, 13

Answer: 4

Q.15

Assume that a 12-bit Hamming codeword consisting of 8-bit data and 4 check bits is $d_8d_7d_6d_5c_8d_4d_3d_2c_4d_1c_2c_1$, where the data bits and the check bits are given in the following tables:

Data bits							
d_8	d_7	d_6	d_5	d_4	d_3	d_2	d_1
1	1	0	x	0	1	0	1

Check bits			
c_8	c_4	c_2	c_1
y	0	1	0

Which one of the following choices gives the correct values of x and y ?

Options

1. x is 0 and y is 1.
2. x is 0 and y is 0.
3. x is 1 and y is 0.
4. x is 1 and y is 1.

Answer: 2

COMMON FEATURES IN ALL COURSES

- ▶ **Doubt Discussions** (App Based + Facebook Group)
- ▶ **Query Resolution** Time 3 - 4 Working Hours
- ▶ **Dedicated Mentor** For Doubt Discussion
- ▶ **No View Restriction** On Recorded Lecture



Q.16

Consider the following ANSI C function:

```
int SimpleFunction(int Y[], int n, int x)
{
    int total = Y[0], loopIndex;
    for (loopIndex = 1; loopIndex <= n - 1; loopIndex++)
        total = x * total + Y[loopIndex];
    return total;
}
```

Let Z be an array of 10 elements with $Z[i]=1$, for all i such that $0 \leq i \leq 9$. The value returned by `SimpleFunction(Z, 10, 2)` is _____

Answer: 1023

Q.17 Let $r_i(z)$ and $w_i(z)$ denote read and write operations respectively on a data item z by a transaction T_i . Consider the following two schedules.

$S_1 : r_1(x) \ r_1(y) \ r_2(x) \ r_2(y) \ w_2(y) \ w_1(x)$

$S_2 : r_1(x) \ r_2(x) \ r_2(y) \ w_2(y) \ r_1(y) \ w_1(x)$

Which one of the following options is correct?

Options 1.

1. S_1 is conflict serializable, and S_2 is not conflict serializable.
2. Both S_1 and S_2 are conflict serializable.
3. S_1 is not conflict serializable, and S_2 is conflict serializable.
4. Neither S_1 nor S_2 is conflict serializable.

Answer: 3

Q.18 Three processes arrive at time zero with CPU bursts of 16, 20 and 10 milliseconds. If the scheduler has prior knowledge about the length of the CPU bursts, the minimum achievable average waiting time for these three processes in a non-preemptive scheduler (rounded to nearest integer) is _____ milliseconds.

Answer: 12

Q.19 In the context of operating systems, which of the following statements is/are correct with respect to paging?

Options 1.

1. Multi-level paging is necessary to support pages of different sizes.
2. Paging helps solve the issue of external fragmentation.
3. Paging incurs memory overheads.
4. Page size has no impact on internal fragmentation.

Answer: 1, 2 and 3

Q.20

Consider the following matrix.

$$\begin{pmatrix} 0 & 1 & 1 & 1 \\ 1 & 0 & 1 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{pmatrix}$$

The largest eigenvalue of the above matrix is _____.

Answer: 3

Q.21

Consider the two statements.

- S_1 : There exist random variables X and Y such that
- $$\left(\mathbb{E} \left[(X - \mathbb{E}(X)) (Y - \mathbb{E}(Y)) \right] \right)^2 > \text{Var}[X] \text{Var}[Y]$$
- S_2 : For all random variables X and Y ,
- $$\text{Cov}[X, Y] = \mathbb{E} \left[|X - \mathbb{E}[X]| |Y - \mathbb{E}[Y]| \right]$$

Which one of the following choices is correct?

Options

1. Both S_1 and S_2 are true.
2. S_1 is false, but S_2 is true.
3. S_1 is true, but S_2 is false.
4. Both S_1 and S_2 are false.

Answer:

GATE CS 2022

OFFLINE COURSE

@ 49,999 /-
(Incl GST)

- ▶ **Recorded lectures on web** (With 3 view restriction on price of 6% of online course price).
- ▶ **GATE-2022 hardcopy material** with solution.
- ▶ **75+** practice test of test series - 2022
- ▶ **13,000 Approx Practice Questions** including test series.
- ▶ **450+** hours of lecture duration.



Group **discount of Rs. 3000/-** per student on Classroom Course



Test Series GATE 2022 for classroom students.



Free Previous Year **soft copy Material** of Rs. 3000/-

Q.22 Consider two hosts P and Q connected through a router R . The maximum transfer unit (MTU) value of the link between P and R is 1500 bytes, and between R and Q is 820 bytes.

A TCP segment of size 1400 bytes was transferred from P to Q through R , with IP identification value as 0x1234. Assume that the IP header size is 20 bytes. Further, the packet is allowed to be fragmented, i.e., Don't Fragment (DF) flag in the IP header is *not* set by P .

Which of the following statements is/are correct?

Options

1. Two fragments are created at R and the IP datagram size carrying the second fragment is 620 bytes.

2.

If the second fragment is lost, R will resend the fragment with the IP identification value 0x1234.

3.

TCP destination port can be determined by analysing *only* the second fragment.

4.

If the second fragment is lost, P is required to resend the whole TCP segment.

Answer: 1 and 4

Q.23 Let p and q be two propositions. Consider the following two formulae in propositional logic.

$$S_1 : (\neg p \wedge (p \vee q)) \rightarrow q$$

$$S_2 : q \rightarrow (\neg p \wedge (p \vee q))$$

Which one of the following choices is correct?

Options

1. S_1 is a tautology but S_2 is not a tautology.

2. Both S_1 and S_2 are tautologies.

3. S_1 is not a tautology but S_2 is a tautology.

4. Neither S_1 nor S_2 is a tautology.

Answer: 1

Q.24 Consider the following expression.


$$\lim_{x \rightarrow -3} \frac{\sqrt{2x+22} - 4}{x+3}$$

The value of the above expression (rounded to 2 decimal places) is _____

Answer: 0.25

Q.25

Consider the following undirected graph with edge weights as shown:



The number of minimum-weight spanning trees of the graph is _____.

Answer: 3

Q.26

Consider a linear list based directory implementation in a file system. Each directory is a list of nodes, where each node contains the file name along with the file metadata, such as the list of pointers to the data blocks. Consider a given directory foo.

Which of the following operations will necessarily require a full scan of foo for successful completion?

Options

1. Deletion of an existing file from foo
2. Opening of an existing file in foo
3. Creation of a new file in foo
4. Renaming of an existing file in foo

Answer: 3 and 4

Q.27

In an undirected connected planar graph G , there are eight vertices and five faces. The number of edges in G is _____.

Answer: 11

Q.28


Suppose a database system crashes again while recovering from a previous crash. Assume checkpointing is not done by the database either during the transactions or during recovery.

Which of the following statements is/are correct?

Options

1. The database will become inconsistent.
2. The system cannot recover any further.
3. All the transactions that are already undone and redone will not be recovered again.
4. The same undo and redo list will be used while recovering again.


Answer: 4





GATE CS
2023
OFFLINE COURSE

@ 78,999 /-
(Incl GST)

- ▶ **GATE-2022 + GATE-2023** offline classes
- ▶ GATE-2022 + GATE-2023 **hardcopy material with solution**
- ▶ **150+** practice test of test series - 2022 & 2023
- ▶ **21,000 Approx** Practice Questions including test series.
- ▶ **900+** hours of lecture duration.

 Group **discount of Rs. 3000/-** per student on Classroom Course

 **Test Series** GATE 2022 for classroom students.

 **Free Previous Year soft copy Material of Rs. 3000/-**

**Recorded lectures on web
(With 3 view restriction on price of 6% of online course price).*

Q.29

Consider the following C code segment:

```
a = b + c;  
e = a + 1;  
d = b + c;  
f = d + 1;  
g = e + f;
```

In a compiler, this code segment is represented internally as a directed acyclic graph (DAG). The number of nodes in the DAG is _____.

Answer: 6

Q.30

Let P be an array containing n integers. Let t be the lowest upper bound on the number of comparisons of the array elements, required to find the minimum and maximum values in an arbitrary array of n elements. Which one of the following choices is correct?

Options

1. $t > 2n - 2$
2. $t > 3 \left\lceil \frac{n}{2} \right\rceil$ and $t \leq 2n - 2$
3. $t > n$ and $t \leq 3 \left\lceil \frac{n}{2} \right\rceil$
4. $t > \lceil \log_2(n) \rceil$ and $t \leq n$

Answer: 3

Q.31

Consider the following Boolean expression.

$$F = (X + Y + Z)(\overline{X} + Y)(\overline{Y} + Z)$$

Which of the following Boolean expressions is/are equivalent to \overline{F} (complement of F)?

Options

1. $(X + \overline{Z})(\overline{Y} + \overline{Z})$
2. $(\overline{X} + \overline{Y} + \overline{Z})(X + \overline{Y})(Y + \overline{Z})$
3. $X\overline{Y} + \overline{Z}$
4. $X\overline{Y} + Y\overline{Z} + \overline{X}Y\overline{Z}$

Answer: 1, 3 and 4

Q.32

A five-stage pipeline has stage delays of 150, 120, 150, 160 and 140 nanoseconds. The registers that are used between the pipeline stages have a delay of 5 nanoseconds each.

The total time to execute 100 independent instructions on this pipeline, assuming there are no pipeline stalls, is _____ nanoseconds.

Answer: 17160

- Q.33** Define R_n to be the maximum amount earned by cutting a rod of length n meters into one or more pieces of integer length and selling them. For $i > 0$, let $p[i]$ denote the selling price of a rod whose length is i meters. Consider the array of prices:

$$p[1] = 1, p[2] = 5, p[3] = 8, p[4] = 9, p[5] = 10, p[6] = 17, p[7] = 18$$

Which of the following statements is/are correct about R_7 ?

Options

1. $R_7 = 19$
2. R_7 is achieved by three different solutions.
3. $R_7 = 18$
4. R_7 cannot be achieved by a solution consisting of three pieces.

Answer: 2 and 3

Rod can be cut into length of (2, 2, 3) meter with weight of 18.

- Q.34** Consider the following context-free grammar where the set of terminals is $\{a, b, c, d, f\}$.

$$\begin{aligned} S &\rightarrow daT \mid Rf \\ T &\rightarrow aS \mid baT \mid \epsilon \\ R &\rightarrow caTR \mid \epsilon \end{aligned}$$

The following is a partially-filled LL(1) parsing table.

	a	b	c	d	f	$\$$
S			①	$S \rightarrow daT$	②	
T	$T \rightarrow aS$	$T \rightarrow baT$	③		$T \rightarrow \epsilon$	④
R			$R \rightarrow caTR$		$R \rightarrow \epsilon$	

Which one of the following choices represents the correct combination for the numbered cells in the parsing table ("blank" denotes that the corresponding cell is empty)?

Options 1.

- ① $S \rightarrow Rf$ ② $S \rightarrow Rf$ ③ $T \rightarrow \epsilon$ ④ $T \rightarrow \epsilon$
2. ① blank ② $S \rightarrow Rf$ ③ $T \rightarrow \epsilon$ ④ $T \rightarrow \epsilon$
3. ① blank ② $S \rightarrow Rf$ ③ blank ④ blank
4. ① $S \rightarrow Rf$ ② blank ③ blank ④ $T \rightarrow \epsilon$

CLASSROOM COURSE FEATURES

- ▶ **Doubt discussion** (One to One offline, App based, FB based).
- ▶ **Online query resolution** time 3 to 4 working hours.
- ▶ **Dedicated mentors** for doubt discussion.
- ▶ **Study room** for offline registered student (Time 11 am to 8:30 pm).
- ▶ **Library facility** for offline student.
- ▶ **Offline doubts will be resolved immediately** which is the main feature of offline course.
- ▶ **Group study environment.**
- ▶ **Personalized** and post examination **support.**



Q.35

Consider the following ANSI C program.

```
#include <stdio.h>
int main()
{
    int i, j, count;
    count = 0;
    i = 0;
    for (j = -3; j <= 3; j++)
    {
        if ((j >= 0) && (i++))
            count = count + j;
    }
    count = count + i;
    printf("%d", count);
    return 0;
}
```

Which one of the following options is correct?

Options 1.

The program will compile successfully and output 8 when executed.

2. The program will not compile successfully.

3.

The program will compile successfully and output 13 when executed.

4.

The program will compile successfully and output 10 when executed.

Answer: 4

Q.36 Let $G = (V, E)$ be an undirected unweighted connected graph. The *diameter* of G is defined as:

$$\text{diam}(G) = \max_{u, v \in V} \{\text{the length of shortest path between } u \text{ and } v\}$$

Let M be the adjacency matrix of G .

Define graph G_2 on the same set of vertices with adjacency matrix N , where

$$N_{ij} = \begin{cases} 1 & \text{if } M_{ij} > 0 \text{ or } P_{ij} > 0, \text{ where } P = M^2 \\ 0 & \text{otherwise} \end{cases}$$

Which one of the following statements is true?

Options

1. $\lceil \text{diam}(G)/2 \rceil < \text{diam}(G_2) < \text{diam}(G)$
2. $\text{diam}(G_2) = \text{diam}(G)$
3. $\text{diam}(G) < \text{diam}(G_2) \leq 2 \text{ diam}(G)$
4. $\text{diam}(G_2) \leq \lceil \text{diam}(G)/2 \rceil$

Answer: 4

Q.37 A relation R is said to be *circular* if aRb and bRc together imply cRa . Which of the following options is/are correct?

Options

1. If a relation S is reflexive and symmetric, then S is an equivalence relation.
2. If a relation S is reflexive and circular, then S is an equivalence relation.
3. If a relation S is transitive and circular, then S is an equivalence relation.
4. If a relation S is circular and symmetric, then S is an equivalence relation.

Answer: MTA

No option is correct.

1 is also incorrect if Relation $S = \{(1,1)(2,2)(3,3)(1,2)(2,1)(2,3)(3,2)\}$

This relation is reflexive and symmetric, but not transitive. Therefore S is not equivalence relation.

ADMISSION OPEN

— FOR —


OFFLINE CLASSES

NEW BATCHES STARTS FROM

15 FEB, 2021



Q.38 Consider a 3-bit counter, designed using T flip-flops, as shown below:



Assuming the initial state of the counter given by PQR as 000, what are the next three states?

- Options**
1. 011, 101, 000
 2. 011, 101, 111
 3. 001, 010, 111
 4. 001, 010, 000

Answer: 1

Q.39 For a Turing machine M , $\langle M \rangle$ denotes an encoding of M . Consider the following two languages.

$$L_1 = \{ \langle M \rangle \mid M \text{ takes more than 2021 steps on all inputs} \}$$

$$L_2 = \{ \langle M \rangle \mid M \text{ takes more than 2021 steps on some input} \}$$

Which one of the following options is correct?

- Options**
1. Both L_1 and L_2 are decidable.
 2. Both L_1 and L_2 are undecidable.
 3. L_1 is decidable and L_2 is undecidable.
 4. L_1 is undecidable and L_2 is decidable.


Answer: 1

Q.40 Consider a computer system with a byte-addressable primary memory of size 2^{32} bytes. Assume the computer system has a direct-mapped cache of size 32 KB (1 KB = 2^{10} bytes), and each cache block is of size 64 bytes. The size of the tag field is _____ bits.

Answer: 17

Q.41

A sender (S) transmits a signal, which can be one of the two kinds: H and L with probabilities 0.1 and 0.9 respectively, to a receiver (R). In the graph below, the weight of edge (u, v) is the probability of receiving v when u is transmitted, where $u, v \in \{H, L\}$. For example, the probability that the received signal is L given the transmitted signal was H , is 0.7.



If the received signal is H , the probability that the transmitted signal was H (rounded to 2 decimal places) is _____.

Answer: 0.04

Q.42

Let the representation of a number in base 3 be 210. What is the hexadecimal representation of the number?

Options

1. D2
2. 15
3. 21
4. 528

Answer: 2

Q.43

Consider the following statements.

- S_1 : Every SLR(1) grammar is unambiguous but there are certain unambiguous grammars that are not SLR(1).
 S_2 : For any context-free grammar, there is a parser that takes at most $O(n^3)$ time to parse a string of length n .

Which one of the following options is correct?


Options

1. S_1 is false and S_2 is true
2. S_1 is true and S_2 is false
3. S_1 is false and S_2 is false
4. S_1 is true and S_2 is true

Answer: 4

DOWNLOAD OUR APPLICATION

FROM



FOR MORE INFORMATION
CALL:- +91 98260 42844

Q.44 Let $\langle M \rangle$ denote an encoding of an automaton M . Suppose that $\Sigma = \{0, 1\}$. Which of the following languages is/are NOT recursive?

Options

1. $L = \{\langle M \rangle \mid M \text{ is a DFA such that } L(M) = \Sigma^*\}$
2. $L = \{\langle M \rangle \mid M \text{ is a PDA such that } L(M) = \Sigma^*\}$
3. $L = \{\langle M \rangle \mid M \text{ is a PDA such that } L(M) = \emptyset\}$
4. $L = \{\langle M \rangle \mid M \text{ is a DFA such that } L(M) = \emptyset\}$

Answer: 2

Q.45 A relation $r(A, B)$ in a relational database has 1200 tuples. The attribute A has integer values ranging from 6 to 20, and the attribute B has integer values ranging from 1 to 20. Assume that the attributes A and B are independently distributed.

The estimated number of tuples in the output of $\sigma_{(A>10) \vee (B=18)}(r)$ is _____.

Answer:

Q.46 The lifetime of a component of a certain type is a random variable whose probability density function is exponentially distributed with parameter 2. For a randomly picked component of this type, the probability that its lifetime exceeds the expected lifetime (rounded to 2 decimal places) is _____.

Answer: 0.37

Q.47 Consider the following array.

23	32	45	69	72	73	89	97
----	----	----	----	----	----	----	----

Which algorithm out of the following options uses the least number of comparisons (among the array elements) to sort the above array in ascending order?

- Options**
1. Insertion sort
 2. Quicksort using the last element as pivot
 3. Selection sort
 4. Mergesort

Answer: 1

Q.48

Consider the relation $R(P, Q, S, T, X, Y, Z, W)$ with the following functional dependencies.

$$PQ \rightarrow X; P \rightarrow YX; Q \rightarrow Y; Y \rightarrow ZW$$

Consider the decomposition of the relation R into the constituent relations according to the following two decomposition schemes.

$$D_1: R = [(P, Q, S, T); (P, T, X); (Q, Y); (Y, Z, W)]$$

$$D_2: R = [(P, Q, S); (T, X); (Q, Y); (Y, Z, W)]$$

Which one of the following options is correct?

Options

1. Both D_1 and D_2 are lossy decompositions.
2. D_1 is a lossless decomposition, but D_2 is a lossy decomposition.
3. D_1 is a lossy decomposition, but D_2 is a lossless decomposition.
4. Both D_1 and D_2 are lossless decompositions.

Answer: 2

Q.49

Consider the following sequence of operations on an empty stack.

`push(54); push(52); pop(); push(55); push(62); s = pop();`

Consider the following sequence of operations on an empty queue.

`enqueue(21); enqueue(24); dequeue(); enqueue(28); enqueue(32); q = dequeue();`

The value of $s + q$ is _____.

Answer: 86

Q.50

Consider the following three functions.

$$f_1 = 10^n \quad f_2 = n^{\log n} \quad f_3 = n^{\sqrt{n}}$$

Which one of the following options arranges the functions in the increasing order of asymptotic growth rate?

Options

1. f_2, f_3, f_1
2. f_2, f_1, f_3
3. f_3, f_2, f_1
4. f_1, f_2, f_3

Answer: 1

Q.51

Consider the following representation of a number in IEEE 754 single-precision floating point format with a bias of 127.

$S : 1$ $E : 10000001$ $F : 11110000000000000000000$

Here S , E and F denote the sign, exponent and fraction components of the floating point representation.

The decimal value corresponding to the above representation (rounded to 2 decimal places) is _____.

Answer: (-7.75)

Our Expert Faculties



Jaishri Gupta

The Co-founder and the Head of the Teachers Panel. A dynamic lady with versatile subject expertise.



Ashish Sharma

An enthusiastic & young blood with good command on the subjects and eager to boost student's knowledge.



Basant Kumar Jha

Highly experienced faculty with motivational skills to guide & encourage students.



Archit Shukla

An energetic and devoted faculty at Gate@Zeal. Being a young mind he easily rectifies the problems

Q.52 Suppose that L_1 is a regular language and L_2 is a context-free language. Which one of the following languages is NOT necessarily context-free?

- Options
1. $L_1 \cdot L_2$
 2. $L_1 - L_2$
 3. $L_1 \cup L_2$
 4. $L_1 \cap L_2$

Answer: 2

Q.53 Which of the following standard C library functions will *always* invoke a system call when executed from a single-threaded process in a UNIX/Linux operating system?

- Options
1. `exit`
 2. `malloc`
 3. `sleep`
 4. `strlen`

Answer: 1, 2 and 3

Q.54 Consider the sliding window flow-control protocol operating between a sender and a receiver over a full-duplex error-free link. Assume the following:

- The time taken for processing the data frame by the receiver is negligible.
- The time taken for processing the acknowledgement frame by the sender is negligible.
- The sender has infinite number of frames available for transmission.
- The size of the data frame is 2,000 bits and the size of the acknowledgement frame is 10 bits.
- The link data rate in each direction is 1 Mbps ($= 10^6$ bits per second).
- One way propagation delay of the link is 100 milliseconds.

The minimum value of the sender's window size in terms of the number of frames, (rounded to the nearest integer) needed to achieve a link utilization of 50% is _____.

Answer: 51

Q.55 The following relation records the age of 500 employees of a company, where *empNo* (indicating the employee number) is the key:

empAge(*empNo*, *age*)

Consider the following relational algebra expression:

$\Pi_{empNo} (empAge \bowtie_{(age > age1)} \rho_{empNo1, age1}(empAge))$

What does the above expression generate?

Options 1.

Employee numbers of all employees whose age is the minimum.

2.

Employee numbers of only those employees whose age is more than the age of exactly one other employee.

3.

Employee numbers of all employees whose age is not the minimum.

4.

Employee numbers of only those employees whose age is the maximum.

Answer: 3